

# INDEX MAPS.

## T.26N. R.13E. 2<sup>nd</sup> Mer.

	272		272		271		271		271		270	
274	6	298	5	291	4	287	3	282	2	278	1	270
	297		297		291		286		282		278	
274	7	296	8	290	9	286	10	281	11	277	12	270
	296		295		290		286		281		277	
273	18	295	17	290	16	285	15	281	14	276	13	269
	294		294		289		285		280		276	
273	19	294	20	289	21	285	22	280	23	276	24	269
	293		293		288		284		280		275	
273	30	293	29	288	28	284	27	279	26	275	25	269
	292		292		287		283		279		275	
272	31	291	32	287	33	282	34	278	35	274	36	268
	268		268		268		267		267		267	

Meandered Watered 298

## T.27N. R.13E. 2<sup>nd</sup> Mer.

	310		310		309		309		309		308	
312	6	335	5	329	4	325	3	321	2	316	1	308
	335		334		329		325		320		316	
311	7	334	8	328	9	324	10	320	11	315	12	308
	334		333		328		324		319		315	
311	18	333	17	328	16	323	15	319	14	314	13	307
	333		332		327		323		319		314	
311	19	332	20	327	21	323	22	318	23	314	24	307
	331		331		326		322		318		313	
310	30	331	29	326	28	322	27	317	26	313	25	307
	330		330		326		321		317		313	
310	31	329	32	325	33	321	34	317	35	312	36	306
	306		306		305		305		305		305	

The figures on the lines refer to the page.

267

Township 26 North, Range 13 East 2<sup>nd</sup> Mer. Ia.

ch. 2<sup>nd</sup>.

South Boundary.

Var. in

West On S. Side of Sec. 36.

40.00 Set gr. sec. post, from which  
a Wh. Oak 8 in. dia. bears N 11 E. 7 lb. dist. &  
a Hickory 12 " " " N 70 W. 13 " "

80.00 Set post Cor. to sec. 35 & 36, fr. wh.  
a Sugar 18 in. dia. bears N 64 E. 19 lb. dist.  
& an Elm 12 " " " S 64 W. 19 " "  
Land, Rich. Timber: Beech, Sugar,  
Ash &c. March 1820.

---

West On S. Side of Sec. 35.

28.64 a Hickory 12 in. diam.

34.00 a Branch 10 lb. wide c. W.

40.00 Set gr. sec. post, from which  
a Beech 8 in. dia. bears East, 19 lb. dist.  
a Do. 18 " " " S 1 E. 15 " "

80.00 Set post Cor. to sec. 34 & 35, fr. wh.  
a Beech 10 in. dia. bears South, 15 lb.  
an Ash 10 " " " N 41 E. 15 " dist.  
Land as above.

---

West On S. Side of Sec. 34.

1.25 To Wabash River & set post on the  
margin, from which  
a Hickory 8 in. dia. bears N 42 E. 24 lb. dist. &  
a Wh. Oak 12 " " " N 42 E. 8 " "

4.60 Set a Cr. post, from which  
a Hickory 10 in. dia. bears N 6 E. 8 lb. dist. &  
a Beech 7 " " " N 60 W. 14 " "

40.00 Set gr. sec. post, from which  
a Beech 10 in. dia. bears N 52 W. 3 lb. dist. &  
a Do 20 " " " S 61 E. 38 " "

80.00 Set post Cor. to sec. 33 & 34, fr. wh.  
a Sugar 20 in. dia. bears N 24 W. 25 lb. dist.



S. 26 N. 16. 13 E. 2<sup>nd</sup> Mer. Ind. a  
ch. 2<sup>nd</sup>.

a Beech 15 in. dia. bears N 16 E. 27 W. dist.  
Land, Rich. Tim. Beech, Sugar,  
Lynn &c.

West On S. Side of Sec. 33.

40.00 Set q. sec. post, from which  
a Beech 16 in. dia. bears N 55 E. 15 W. dist.  
a Do 9 " " " S 70 W. 23 " "

80.00 Set post cor. to Sec. 32 & 33, fr. wh.  
an Ash 8 in. dia. bears S 20 E. 15 W. dist. &  
a Cottonwood 30 in. dia. " N 53 W. 29 " "  
Land, same as before.

West On S. Side of Sec. 32.

40.00 Set q. sec. post, from which  
a Beech 11 in. dia. bears N 75 E. 9 W. dist. &  
a Do. 14 " " " " S 85 W. 40 " "

80.00 Set post cor. to Sec. 31 & 32, fr. wh.  
a Beech 12 in. dia. bears N 4 W. 13 W. dist.  
a Sugar 18 " " " " N 67 E. 26 " "  
Land, as before.

West On S. Side of Sec. 31.

40.00 Set q. sec. post, from which  
a wh. Oak 30 in. dia. bears N 34 E. 4 W. dist. &  
an Elm 20 " " " " S 47 E. 7 " "

78.00 Intersect N. line at a corner.  
Land, Rich. & Beech, Ash, Sugar  
Walnut, Spice &c.

Surveyed in 1820.

By J. M. Donald, Jr.

East Boundary.

Var. 5. 75. E.

North On E. Side of Sec. 36.

22.72 a Beech 12 in. dia. dist.

S. 26 N. 14. 13 E. 2<sup>nd</sup> Mer. Ind. a <sup>269</sup>

Ch. Gk.

40.00 Set gr. sec. post, from which  
a Beech 12 in. dia. bears S 20 W 25 lb. dist.  
a Do. 8 " " " N 18 W 22 " "

75.08 a Lyrus 12 in. dia.

80.00 Set post Cor. to sec. 25 & 26, fr. wh.  
a Wh. Oak 12 in. dia. bears N 10 E 44 lb. dist.  
a H. Oak 10 " " " S 18 W 16 lb. dist.  
Land, seed, rate, Timber Beech,  
Sugar, Oak, Hickory &c. N. 8th. of  
Spice &c.

---

North On E. Side of Sec. 25.

40.00 Set gr. sec. post, from which  
a Beech 12 in. dia. bears S 20 W 31 lb. dist.  
an Ash 8 " " " N 7 E 18 " "

70.57 an Ash 24 in. diam.

80.00 Set post Cor. to sec. 24 & 25, fr. wh.  
a Beech 12 in. dia. bears South 40 lb. dist.  
a Do. 24 " " " N 4 E 38 " "  
Land as before.

---

North On E. Side of Sec. 24.

36.75 a Sugar 10 in. diam.

40.00 Set gr. sec. post, from which  
an Ash 10 in. dia. bears N 30 E 17 lb. dist. &  
an Elm 24 " " " S 46 E 17 " "

55.75 an Ash 18 " "

80.00 Set post Cor. to sec. 13 & 24, fr. wh.  
an Ash 12 in. dia. bears S 30 E 8 lb. dist. &  
a Do. 18 " " " S 17 W 10 " "  
Land, as above. March 1820.

---

North On E. Side of Sec. 13.

20.25 a Beech 24 in. diam.

40.00 Set gr. sec. post, from which  
a Beech 24 in. diam. bears S 5 E 30 lb. dist.

T. 26 N. 16. 13 E. 2<sup>nd</sup> Mer. Ind. a  
Ch. W.

a W. Oak 12 in. diam. bears N 60 W. 14 W.  
80.00 Set post Cor. to sec. 12 & 13, fr. wh.  
no Bearings in Swamp.  
3/4 of this mile Beech timber.

North An E. side of Sec. 12.

40.00 Set gr. sec. post, from which  
no Bearings, in Swamp.

80.00 Set post Cor. to sec. 12 & 13, fr. wh.  
a Beech 12 in. dia. bears S 17 W. 34 W. dt.  
a Do. 12 " " " N 30 W. 29 " "  
Land, wet.

North An E. side of Sec. 1.

37.62 a Lym 12 in. diam.

40.00 Set gr. sec. post, from which  
a W. Oak 12 in. dia. bears N 89 E. 2 W. dt.  
an Elm 8 " " " S 35 W. 6 " "

83.00 Set post for Cor. of of Towns 26 &  
27 North, Range 13 & 14 East,  
a Beech 24 in. dia. bears S 70 W. 11 W. dt.  
a Do. 10 " " " S 85 E. 10 " "  
Land rich. Timber, Beech &c.  
und. 8th. Spire. March 1820.  
Surveyed by J. M. Donald, J.S.

### North Boundary.

West An S. side of Sec. 36. T. 27. N. 16. 13 E.

40.00 Set gr. sec. post, from which  
a Beech 12 in. dia. bears N 8 W. 16 W. dt.  
a Do. 18 " " " S 35 W. 25 " "

56.13 a Sugar 18 " "

80.00 Set post Cor. to Sec. 35 & 36, fr. wh.  
a W. Oak 36 in. dia. bears N 3 E. 19 W. dt.  
an Ironwood 8 " " " S 3 W. 16 " "

271

T. 26 N. R. 13 E. 2<sup>nd</sup> Mer. Ind. a

Ch. Lk. Land, not noted.

---

Wett On S. side of sec. 35. T. 27 N. R. 13 E.

35.25 a Beech 12 in. diam.

40.00 Set gr. sec. post, from which  
a Wh. Oak 8 in. dia. bears S 35 W. 4 lb. dist.  
an Ash 8 " " " N 12 W. 3 " "

59.78 an Elm 12 " "

80.00 Set post cor. of sec. 34 & 35, from which  
an Elm 24 in. dia. bears N 29 E. 17 lb. &  
a Hickory 10 " " " South 10 " ft.  
Land, Rich. Timb. Sugar, Ash,  
&c. mod. sth. spice.

---

Wett On S. side of sec. 34. T. 27 N. R. 13 E.

22.75 a Beech 24 in. diam.

40.00 Set gr. sec. post, from which  
a Maple 24 in. dia. bears N 84 E. 25 lb.  
an Elm = " " " South, 13 lb. dist.

59.50 a Wh. Oak 40 in. diam.

80.00 Set post for cor. of sec. 33 & 34, from which  
a Wh. Oak 24 in. dia. bears N 30 E. 14 lb.  
a Beech 12 " " " N 59 W. 23 " ft.  
Land, as above.

---

Wett On S. side of sec. 33. T. 27 N. R. 13 E.

15.00 a Wh. Oak 36 in. diam.

40.00 Set gr. sec. post, from which  
an Ash 24 in. dia. bears S 89 E. 32 lb. &  
a Lyrum 12 " " " N 82 W. 24 " ft.

80.00 Set post for cor. of sec. 32 & 33, —

T. 27 N. R. 13 E., from which  
a Poplar 12 in. dia. bears S 21 W. 8 lb. &  
a Sugar 12 " " " N 38 E. 11 " dist.  
Land, as above.



272  
 T. 26 N. 16. 13 E. 2<sup>nd</sup> Mer. Ind. a  
 Ch. 1<sup>st</sup> 1<sup>st</sup>  
 West On side of Sec. 32. T. 27 N. 16. 13 E.  
 37.00 a Wh. Oak 18 in. diam.  
 40.00 Set gr. Sec. post, from which  
 a Hickory 8 in. dia. bears S 74 E. 9 lb. &  
 an Elm 12 " " " N 70 W. 24 " &  
 63.25 a Wh. Oak 12 in. diam.  
 80.00 Set post cor. of Sec. 31 & 32, from wh.  
 an Ash 10 in. dia. bears S 6 E. 18 lb. &  
 a Sycamore 30 in. " " N 70 W. 10 " "  
 Land, as before.

West On S. side of Sec. 31. T. 27 N. 16. 13 E.  
 33.51 a Beech 24 in. diam.  
 40.00 Set gr. Sec. post, from which  
 a Hickory 12 in. dia. bears N 81 W. 23 lb.  
 an Ash 8 " " " " N 82 E. 16 " &  
 76.00 Intersect N. line Between Ranges  
 12 & 13 E. T. 26 & 27 North. 100 lb. S.  
 of post. March 8<sup>th</sup> 1820.  
 Surveyed by. J. M. Donald, D.S.

### West Boundary.

North On E. side of Sec. 36. T. 26 N. 16. 12 E.  
 50 a Spruce 24 in. diam.  
 40.00 Set gr. Sec. post, from which  
 an Ash 8 in. dia. bears S 65 - 11 lb. &  
 Va Do. 8 " " " N 20 W. 19 " "  
 56.00 a Bl. Oak 36 in. diam.  
 75.00 a Board 30 lb. wide E. N. W.  
 80.00 Set post for cor. of Sec. 25 & 36, from wh.  
 an Ironwood 7 in. dia. bears S 86 E. 7 lb. &  
 a Do. 6 " " " S 50 W. 5 " &  
 Land, Rich. Sugar. Beech, Ash,  
 Oak. &c. and. gth. Spice.



273

T. 26 N. R. 13 E. 2<sup>nd</sup> Mer. Ind. a

C. 26.

North An E. Side of Sec. 25. T. 26 N. R. 13 E.

6.75 a Sugar 15 in. diam.

40.00 Set gr. Sec. post, from which  
a Beech 20 in. dia. bears N 54<sup>th</sup> 22<sup>th</sup> W. &  
a Do. 8 " " " S 5 1/2 E. 32 " dt.

74.50 an Elm 20 in. diam.

80.00 Set post for cor. of Sec. 24 & 25,  
a Beech 12 in. dia. bears N 51 E. 6<sup>th</sup> W. dt.  
a Wh. Oak 11 in. dia. " S 6 W. 14 " "  
March 1820. Land, as before.

---

North An E. Side of Sec. 24. T. 26 N. R. 13 E.

12.84 a Beech 11 in. diam.

40.00 Set gr. Sec. post, from which  
a Beech 20 in. dia. bears S 50 W. 14<sup>th</sup> W.  
a Do. 30 " " " N 35 E. 41 " dt.

56.84 a Do. 10 " "

80.00 Set post Cor. to Sec. 13 & 24. from wh.  
a Beech 16 in. dia. bears N 45 E. 10<sup>th</sup> W. dt.  
an Ironwood 5 in. " " N 28 W. 15 " "  
Land as before.

---

North An E. Side of Sec. 13. T. 26 N. R. 13 E.

24.00 a Chickory 18 in. diam.

40.00 Set gr. Sec. post, from which  
a Beech 18 in. dia. bears N 13 W. 7<sup>th</sup> W. dt.  
& an Ironwood 6 in. dia. bears N 11 W. 16<sup>th</sup> W.

69.95 a Beech 18 in. diam.

75.00 Intersect the Wabash River and  
set a w. post, from which  
an Ash 8 in. dia. bears S 5 E. 22<sup>th</sup> W. dt.  
a Buckeye 10 in. dia. " N 45 W. 11 " "

78.00 Over River & set post, from wh.  
a Chickory 20 in. dia. bears S 22 W. 22<sup>th</sup> W.  
a Buckeye 12 " " " N 88 E. 21 " dt.

80.00 Set post Cor. to Sec. 12 & 13. as

274 T. 26 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>  
h. 1st

a Buckeye 10 in. dia. bears N 31 E. 37 lb. dist.  
a Hickory 9 " " " S 14 E. 41 lb. dist.  
Land as before.

---

North On E. Side of Sec. 12. T. 26. N. R. 13 E.  
30.00 a Spring Theam C. W.  
40.00 Set gr. Sec. post, from which  
a Hickory 20 in. dia. bears S 31 E. 15 lb. dist.  
a Wh. Oak 36 " " " N 38 W. 40 " dist.  
80.00 Set a post cor. to Sec. 1 & 12, from wh.  
a wh. Oak 10 in. dia. bears S 74 W. 4 lb. dist.  
a Do. 20 " " " N 25 W. 46 " dist.  
Land, Rich. Oak & Hickory.

---

North On E. Side of Sec. 1. T. 26 N. R. 13 E.  
5.50 a Brook 8 lb. wide c. dist.  
19.00 a Sugar 14 in. diam.  
40.00 Set gr. Sec. post, from which  
a Sugar 20 in. diam. bears North, 16 lb. dist.  
a Wh. Oak 10 in. dia. bears S 12 E. 15 lb. dist.  
55.15 a Hickory 18 in. dia.  
79.00 Set post for cor. of Towns. 26 & 27  
North, Ranges 12 & 13 East, fr. wh.  
an Ash 14 in. dia. bears N 49 W. 20 lb. dist.  
a Beech 18 " " " S 69 E. 48 lb. dist.  
Land, Rich. Oak, Hickory &c.  
Surveyed in 1820  
434 John M. Donald, D.S.

---

Subdivisions.

Var. 5.40 E.  
North Between Sections 35 & 36.  
25.34 an Ash 15 in. diam.  
40.00 Set gr. Sec. post, from which  
a B. Oak 30 in. dia. bears N. 16 E. 16 lb. dist.  
a Do. 18 " " " S 14 W. 44 " "

275

T. 26 N. R. 13 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>  
Ch. 4th

57.00 a Run 6 lbs. wide c. W.  
62.16 a Beech 18 in. diam.  
63.00 a Run 4 lbs. wide c. W.  
80.00 Set post, cor. to sec. 25, 26, 35 & 36,  
a Beech 24 in. dia. bears N 82 E, 13 ft. dist.  
a Do. 9 " " " N 80 W, 22 " "  
Land 2<sup>nd</sup> rate level, Beech, Ash  
P. Ash &c. open woods.

---

East Between Sec. 25 & 36. On Random  
40.00 Set temporary gr. sec. post.  
80.08 Intersect E. line 19 lbs. N. of post.  
Land, 2<sup>nd</sup> rate level, Timber: Beech,  
Ash, Hickory, Oak &c. open woods.

---

West Correct line Between Sec. 25 & 36.  
40.84 Set gr. sec. post, from which  
a Wh. Oak 14 in. dia. bears N 37 E, 46 ft. dist.  
a W. Oak 16 " " " N 35 W, 10 " "  
80.08 Sec. cor. Var. 6° E.

---

North Between sec. 25 & 36.  
23.00 a Wh. Elm 20 in. dia. Var. 5° 40' E.  
40.00 a Sugar 6 in. dia. bears N 54 W, 33 ft. dist.  
a Hickory 20 in. " " N 12 E, 32 " "  
59.86 a W. Oak 24 in. diam.  
80.00 Set post cor. to sec. 23, 24, 25 & 26,  
a Wh. Elm 14 in. dia. bears N 17 E, 29 ft. dist.  
a Do. 24 " " " N 66 W, 16 " ft.  
Land, 2<sup>nd</sup> rate and level. Beech  
Ash, Oak, Elm &c.

---

East On Random Between Sec. 24 & 25.  
40.00 Set temporary gr. sec. cor. N. 5° 10' E.  
48.00 a Run 6 lbs. wide c. N. E.  
80.38 Intersect Range line 24 lbs. N. of post.

276 T 26 N. R. 13 E. 2<sup>nd</sup> Mer. Ind.  
Ch. 9/10  
Land, 2<sup>nd</sup> rate level. Beech, Ash,  
Oak Hickory.

---

West Correct line Between Secs. 24 & 25.  
40.19 Set gr. Sec. post, from which  
a Beech 20 in. dia. bears S 31 E. 8<sup>1</sup>/<sub>2</sub> lb. dist.  
a B. Oak 9 " " " N 12 E. 12 " "  
80.38 Sec. cor.

---

North Between Secs. 23 & 24. Var. 5° 20' E.  
22.87 a Wh. Elm 24 in. diam.  
40.00 Set gr. Sec. post, from which  
a Beech 8 in. dia. bears N 45 W. 12 lb. dist.  
an Ash 5 " " " S 45 E. 22 " "  
64.27 a swp. Ash 12 in. diam.  
80.00 Set post cor. to Secs. 13, 14, 23 & 24,  
a Beech 12 in. dia. bears N 32 E. 30 lb. &  
a Do. 14 " " " S 32 W. 22 " dist.  
Land, 2<sup>nd</sup> rate & level. Limb.  
Beech Ash Oak & Hickory &c.

---

East On Random. Between Secs. 13 & 24.  
40.00 Set temporary gr. Sec. post.  
81.54 Intersect E. boundary. 14 lb. S. of post.  
Land, W 1/2 2<sup>nd</sup> rate level. Beech,  
Ash, Oak Hickory. E 1/2 level & wet.  
Limb. Ash, Oak, Maple, Elm, P. Ash

---

West Correct line Between Secs. 13 & 24.  
40.77 Set gr. Sec. post, from which  
a Wh. Elm 20 in. dia. bears S 80 E. 18 lb.  
a B. Oak 9 in. dia. bears S 85 W. 15 lb. dist.  
81.54 Sec. cor.

---

North Between Secs. 13 & 14.  
19.26 a B. Oak 20 in. diam.



S. 26 N. 16. 13 E. 2<sup>nd</sup> " Ma. Ind. a 277

- ch. 1/2  
40.00 Set gr. Sec. post. from which  
a Beech 15 in. dia. bears N 46 E 43 W. dist. &  
an Ash 9 " " " S 54 W. 19 " "  
58.97 a No. Oak 30 in. diam.  
80.00 Set post cor. to sec. 11, 12, 13 & 14, p. wh.  
an Ash 12 in. dia. bears S 56 E. 16 W. dist.  
a Beech 8 " " " N 75 W. 13 " "  
Land, 2<sup>nd</sup> rate & level. Beech, -  
Ash, Hickory, Oak &c.
- 

- East Between sec. 12 & 13. Random.  
40.00 Set temporary gr. Sec. post.  
44.00 Enter Swamp  
52.00 Open wet Prairie  
67.00 Enter wet land. covered with timber  
75.00 Enter willow Swamp  
80.00 To 85 ch. no appearance of either line  
or post. I do not think the Range  
line was marked through the swamp  
Set post at 80 ch. no bearings -
- 

- West Marked Back the line betw<sup>n</sup> sec. 12 & 13.  
40.00 Set gr. Sec. post. from which  
an Ash 12 in. dia. bears N 55 W. 33 W. dist.  
a No. Oak 24 " " " N 53 E. 22 " "  
80.00 Sec. cor. Land, W 1/2 level & wet -  
Oak Ash & Elm. E 1/2 swamp &  
no timber.
- 

- North Between sec. 11 & 12.  
16.76 a No. Oak 24 in. dia.  
40.00 Set gr. Sec. post. from which  
a Hickory 6 in. dia. bears N 7 E. 13 W. dist.  
a Sycamore 16 in. dia. " " S 7 W. 45 " "  
56.14 a Swamp Ash 14 in. diam.  
57.00 Enter swamp



278

S. D. N. R. 13 E. 2<sup>nd</sup> Mer. Ind. a

Ch. Lk.

80.00 Set post cor. to sect. 112, 114 & 12, fr. wh.  
an Aspen 10 in. dia. bears N 42 W. 54 lb. dist.  
a B. Oak 12 " " " S 24 E. 20 " "  
Land, 2<sup>nd</sup> rate level. Beech,  
Ash, Oak, Hickory, N 1/2 swamp  
Willow, Ash, Maple, Elm &c.

East on Meander Between Sect. 14 &amp; 12.

12.00 Left Swamp

40.00 Set temporary gr. Sec. post, fr. wh.

79.34 Intersect E. line 269 lb. E. of post.

West Corner line Between Sect. 14 &amp; 12.

39.67 Set gr. Sec. post, from which

a Sugar 12 in. dia. bears N 15 E. 49 lb. dist. &amp;

a Do. 18 " " " S 6 E. 9 lb. dist.

Land E. 1/2 2<sup>nd</sup> rate level. BeechAsh, Oak Hickory &c. W. 1/2 part same  
part swampy Prairie.

North Between Sections 14 &amp; 2.

4.00 Left Swamp

21.08 a N. Oak 18 in. dia.

40.00 Set gr. Sec. post, from which

a Wh. Elm 12 in. dia. bears N 30 E. 17 lb.

a B. Oak 12 " " " S 33 W. 38 "

56.44 an Aspen 14 " "

82.40 Intersect Town line 195 lb. E.

of post &amp; set post cor. to sect. 14 &amp; 2,

a Hickory 8 in. dia. bears N 13 E. 5 lb. dist.

a Wh. Elm 18 " " " S 43 W. 13 "

Land, 2<sup>nd</sup> rate level Bushy  
Oak, Hickory Ash &c. mid. yth.  
Haw & P. Ash.

North. Between sections 34 &amp; 35.

S. 26 N. 13 E. 2<sup>nd</sup> Mer. Ind? 279

Ch. M.

- 16.69 a B. Oak 10 in. diam. Var. 5° 40' E.  
40.00 Set gr. sec. post, from which  
an Ash 10 in. dia. bears N 30 E. 19 lb. dist.  
a Sugar 14 " " " 41 E. 23 " "  
60.80 a Wh. Elm 24 in. diam.  
80.00 Set post cor. to sec. 26, 27, 34 & 35.  
an Ash 6 in. dia. bears N 47 W. 18 lb. dist. &  
a Buckeye 12 in. " " 8 E. 13 " "  
Land, good farming level. —  
Beech, Sugar Ash & Spice.
- 

East On Random Betw<sup>n</sup> sec. 26 & 35.

- 40.00 Set temporary gr. sec. post.  
64.00 a Run 6 lb. wide e. N. W.  
79.60 Intersect E. boundary 7 lb. N. of post.  
Land, 2<sup>nd</sup> rate rolling. Oak, Hick-  
ory Ash &c.
- 

West Correct line Between sec. 26 & 35.

- 39.80 Set gr. sec. post, from which  
a Wh. Oak 10 in. dia. bears N 39 E. 19 lb. dist.  
a Do. 18 " " " 38 W. 39 " "  
79.60 Sec. cor. Var. 6° 20' E.
- 

North Between sec. 26 & 27. Var. 5° 40' E.

- 20.47 a Wh. Elm 15 in. diam.  
40.00 Set gr. sec. post, from which  
a B. Oak 14 in. dia. bears N 44 W. 29 lb. dist.  
an Ash 5 " " " 22 E. 21 lb. dist.  
42.00 a Run 6 lb. wide e. cor.  
56.35 a Wh. Oak 12 in. diam.  
80.00 Set post cor. to sec. 22, 23, 26 & 27, —  
a Wh. Oak 20 in. dia. bears N 48 E. 43 lb.  
an Ash 6 in. dia. bears N 48 W. 30 " dist.  
Land, 2<sup>nd</sup> rate level. Timber,  
Oak, Hickory, Ash, Brushy Low Hazel &c.

T. 26 N. 14. 13 E. 2<sup>nd</sup> Mer. Ind.  
Ch. M.

East on Random Between Sect. 23 & 26.  
40.00 Set temporary gr. sec. post.  
45.00 a Run 6 lbs. wide e. South.  
79.36 Intersect E. line 10 lbs. S. of post.  
Land, 2<sup>nd</sup> rate level. Timb.  
Beech, Ash, Oak, Hickory & Spice  
& Gum.

West Correct line Between Sect. 23 & 26.  
39.68 Set gr. sec. post. from which  
a Yoh. Oak 18 in. dia. bears N 78 E. 6 lbs. dist.  
a Do. 20 " " " N 68 W. 25 " "  
79.36 Sec. cor.

North Between Sect. 22 & 23.  
22.50 an Ash 12 in. diam. N. 5° 30' E.  
40.00 Set gr. sec. post. from which  
a Beech 10 in. dia. bears S 48 E. 10 lbs. dist. &  
a Hickory 12 " " " N 50 W. 25 " "  
65.39 a Do. 24 " "  
80.00 Set post cor. to Sect. 14, 15, 22 & 23.  
a Hickory 24 in. dia. bears N 47 E. 20 lbs.  
a Beech 16 " " " S 33 W. 41 "  
Land, 2<sup>nd</sup> rate level rolling -  
Beech, Ash, Oak, Hickory.

East Between sections 14 & 23. (Random)  
40.00 Set temporary gr. sec. post.  
79.64 Intersect E. line at post.  
Land, good 2<sup>nd</sup> rate level Timb.  
Beech, Ash, Oak, Hickory - Spice.

West Correct line Between Sect. 14 & 23.  
39.82 Set gr. sec. post. from which  
a Beech 15 in. dia. bears N 86 E. 41 lbs. dist.  
a Do. 15 " " " S 86 W. 41 " "

281

T. 26 N. R. 13 E. 2<sup>nd</sup> Mer. Ind. a

Ch. 2<sup>nd</sup>

79.64 Sec. loc.

North Between Sec. 14 & 15.

17.26 a Beech 18 in. diam. N. 5. 50. E.

40.00 Set gr. Sec. post, from which  
a Hickory 20 in. dia. bears N 45 E. 3 lb. dist.  
an Ironwood 6 " " " S 23 W. 2 lb. dist.

62.46 a Hickory 10 " "

80.00 Set post cor. to sec. 10, 11, 14 & 15, from which  
a Lyrus 9 in. dia. bears S 85 W. 19 lb. dist.  
a Hickory 15 " " " East 23 " "  
Land, 2<sup>nd</sup> rate level. Beech  
Ash, Oak, Hickory &c.

East On Random Between Sec. 11 & 14.

20.50 a Run 6 lb. wide c. N.

40.00 Set tempy. gr. Sec. post.

79.81 Intersect E. boundary. 26 lb. S. of post.  
Land, 2<sup>nd</sup> rate level Beech, Ash,  
Oak, Hickory.

West Correct line Between Sec. 11 & 14.

39.90 Set gr. Sec. post, from which  
a Beech 6 in. dia. bears N 8 E. 14 lb. dist.  
a Lyncamore 16 in. dia. bears S 22 W. 10 lb. dist.

79.81 Sec. loc.

North Between Sections 10 & 11.

20.18 a Beech 12 in. diam.

39.50 a Run 6 lb. wide c. E.

40.00 Set gr. Sec. post, from which  
an Ash 12 in. dia. bears N 17 W. 29 lb.  
a Wh. Elm 10 " " " S 6 W. 4 lb. dist.

54.46 a Wh. Oak 18 " "

58.50 Enter wet Prairie

70.00 Left Do. Do.



282 S. L. N. N. 13 E. 2<sup>nd</sup> Mer. Ind.?

Ch. 7/8

80.00 Set post Cor. to Sec. 2, 3, 10 & 11 fr. wh.  
a Beech 12 in. dia. bears N 2° W. 40 lb. dist.  
a Hickory 12 in. dia. " South 4 " "  
Land  $\frac{1}{2}$  2<sup>nd</sup> rate level.  
Beech, Ash, Oak, Hickory N. 1/2  
part swampy prairie & part the  
same.

---

East on Random Between Sec. 2 & 11.

28.00 Enter swamp

40.00 Set temporary gr. sec. post.

80.24 Intersect E. boundary 9 lb. E. of post.  
Land level & wet. Oak, Ash, Elm.

---

West correct line Between Sec. 2 & 11.

40.12 Set gr. sec. post, from which  
a cottonwood 24 in. dia. bears N 84° W. 20 lb. &  
a sw. Ash 5 " " " S 67° E. 4 " dist.

80.24 Sec. cor.

---

North Between Sec. 2 & 3.

17.47 a Wh. Oak 12 in. diam.

40.00 Set gr. sec. post, from which  
an Elm 12 in. dia. bears S 68° E. 11 lb. dist.  
a Do. 12 " " " S 62° W. 23 " "

54.53 a Pin Oak 24 in. diam.

82.15 Intersect Lower line 134 lb. E. of  
post & set post Cor. to Sec. 2 & 3.  
a sw. Ash 24 in. dia. bears N 10° W. 7 lb.  
an Ash 6 in. dia. bears S 20° E. 38 "  
Land, level & wet. Timber -  
Oak, Ash, Elm, P. Ash & Rose  
Bush

---

North Between Sec. 34 & 33. N. 6° E.

20.58 a N. Elm 18 in. diam.



T. 26 N. 14. 13 E. 2<sup>nd</sup> Mer. Ind. a

Ch. 4th.

- 38.00 a Run 15 lbs. wide c. E.  
 40.00 set gr. sec. post, from which  
 a Wh. Oak 5 in. dia. bears N 23 E. 23 lbs. dist.  
 a Sugar 15 " " " S 2 W. 24 " "  
 50.00 a Run 15 lbs. wide c. W.  
 58.50 a Beech 18 in. diam.  
 67.00 a Run 15 lbs. wide c. E.  
 74.50 a Do. 15 " " c. W.  
 80.00 Set post cor. to sec. 27, 28, 33 & 34,  
 a Beech 14 in. dia. bears N 74 W. 8 lbs. &  
 a Do. 12 " " " S 80 E. 35 " dist.  
 Land, good farming rolling. Tim.  
 Beech, Sugar, Ash, Oak, Spice &c.

East On Random Betw<sup>n</sup> sec. 27 & 34.

- 4.50 Bend of Wabash 225 lbs. wide c. N. W.  
 & set post on Bank, from which  
 a Sugar 12 in. dia. bears S 66 W. 42 lbs. dist.  
 a Hickory 14 in. " " N 59 E. 58 " "  
 10.12 Left Bend of River crs. S. W. where  
 a Wh. Elm 30 in. diam. for post, from wh.  
 a Do. 24 " " S 60 E. 10 lbs. dist. &  
 13.56 To Wabash 200 lbs. wide c. N. W.  
 & set post from which  
 a Walnut 15 in. dia. bears cor. tree fr. ash  
 a Hickory 12 " " bears S 64 E. 35 lbs. dist.  
 19.08 Over River & set post, from which  
 a Sugar 12 in. dia. bears N 80 E. 62 lbs. dist.  
 a Beech 18 " " " S 21 W. 67 " "  
 40.00 set temporary gr. sec. post.  
 75.82 Distinct E. boundary. 8 lbs. S. of post.  
 Land, 2<sup>nd</sup> rate level. Beech, Ash  
 Oak & Elm timber.

West correct line betw<sup>n</sup> sec. 27 & 34.

- 37.91 set gr. sec. post, from which

284

S. 26 N. W. 13 E. 2<sup>nd</sup> Sec. Ind. a

Ch. 96.

an Ash 18 in. dia. bears N 37 E. 25 lb. dist.  
 a Do. 14 " " " S 67 W. 55 " "  
 75.82 See loc. Var. 6<sup>th</sup> 40' E.

North Between Secs. 27 & 28. 7. 5. 40' E.  
 3.00  $\frac{1}{2}$  Throughfare course E & W.  
 11.50  $\frac{1}{2}$  Mabash River 200 lb. wide crs.  
 S. W. & set post, from which  
 a Hickory 10 in. dia. bears N 54 E. 20 lb.  
 a Do. 14 " " " S 16 E. 18 " dist.  
 16.60 Over River & set post, from wh.  
 a Maple 5 in. dia. bears N 4 E. 25 lb. dist. &  
 a Sycamore 24 in. dia. " S 4 W. 100 " "  
 19.75 a Hickory 18 " "  
 40.00 Set gr. Sec. post, from which  
 an Ironwood 10 in. dia. bears N 70 E. 9 lb.  
 a Sugar 5 in. dia. bears S 61 W. 12 lb. dist.  
 56.57 a Hb. Oak 40 in. dia.  
 80.00 Set post cor. to Secs. 21, 22, 27 & 28, fr.  
 a Maple 8 in. dia. bears N 59 E. 9 lb. dist.  
 a Hickory 12 " " " S 69 W. 13 " "  
 Land, 2<sup>nd</sup> rate level. Timber  
 Beech, Ash, Oak, Hickory & Spice.

East on Random betw<sup>n</sup> Secs. 22 & 27.  
 40.00 Set temp. gr. Sec. post.  
 05.00 a Run 6 lb. wide course S.  
 75.84 Intersect E. boundary 34 lb. of post  
 Land, 2<sup>nd</sup> rate level. Timber Ash,  
 Oak, Hickory & Elm.

West correct line Betw<sup>n</sup> Secs. 22 & 27.  
 37.92 Set gr. Sec. post, from which  
 a B.C. Oak 24 in. dia. bears N 83 E. 3 lb.  
 an Ash 6 " " " S 83 W. 38 " dist.  
 75.84 See loc.

S. 26. N. R. 13 E. 2<sup>nd</sup> Mer. Ind. 285

Ch. 4th

North Between Sections 21 & 22.

19.93 a Wh. Oak 15 in. diam.

40.00 Set gr. sec. post, from which  
a Wh. Oak 12 in. dia. bears N 58° W. 25 lb. dist.  
a Do. 20 " " " S 36° E. 16 " "

57.63 a B. Oak 18 in. diam.

80.00 Set post cor. to sec. 15, 16, 21 & 22, from  
a B. Oak 12 in. diam. br. S 74° E. 15 lb. dist.  
an Ash 20 in. diam. is cor. tree.  
Land, 2<sup>nd</sup> rate rolling. Timber,  
Oak, Hickory & Ash.

East on Random Betw<sup>n</sup> sec. 15 & 22.

40.00 Set tempy. gr. sec. post.

76.00 Intersect E. boundary 35 lb. S. of post.  
Land, 2<sup>nd</sup> rate level. Timber, Oak  
Hickory, Ash & Spruce.

West correct line betw<sup>n</sup> sec. 15 & 22.

38.00 Set gr. sec. post, from which  
an Ash 6 in. dia. bears S 75° W. 24 lb. dist.  
a Beech 15 " " " N 85° E. 35 " "

76.00 Sec. cor.

North Between sec. 15 & 16.

18.06 a Beech 18 in. diam.

40.00 Set gr. sec. post, from which  
a Hickory 12 in. dia. bears N 19° E. 18 lb. &  
a Beech 12 " " " S 19° W. 18 " dist.

62.17 a Wh. Oak 12 in. dia.

80.00 Set post cor. to sec. 9, 10, 15 & 16.  
a Beech 12 in. dia. bears N 13° W. 24 lb. dist.  
a Wh. Elm 10 " " " S 3° E. 32 " "  
Land, 2<sup>nd</sup> rate level. Timber,  
Beech, Ash, Oak, Hickory &c.



286 S. L. N. W. 13 E. 2<sup>nd</sup> Mer. Ind. a

Ch. 1/2

East On Random Between sections 10 & 15.  
40.00 Set temporary gr. sec. post.  
76.90 Intersect E. line 75 lbs. S. of post.  
Land, level & wet. Timb.: Beech  
Oak, Elm, Hickory.

West Between Sec. 10 & 15. (Correct line)  
38.45 Set gr. sec. post. from which  
a wh. Oak 20 in. dia. bears S 30 W 23 lb. &  
a Beech 12 " " " N 56 E, 19 " ft.  
76.90 Sec. cor.

North Between Sec. 9 & 10.

16.05 an Ash 18 in. diam.  
29.00 a Run 6 lbs. wide crs. E.  
40.00 Set gr. sec. post. from which  
a Beech 15 in. dia. bears N 56 E. 33 lb. dist.  
a do 15 " " " S 56 W, 28 " "  
58.12 a Wh. Elm 24 in. diam.  
59.00 a Run 6 lbs. wide crs. East.  
76.00 Enter Swamp  
80.00 Set post cor. to sec. 3, 4, 9 & 10, fr. wh.  
an Ash 6 in. dia. bears N 4 E, 41 lb. dist.  
a Maple 12 in. " " N 6 E, 5 " "  
Land, 2<sup>nd</sup> rate level Bushy  
Ash, Hickory, Oak, Elm, P. Ash,  
& Spice.

East On Random Betw<sup>n</sup> Sec. 3 & 10.

\* 40.00 Set temporary gr. sec. cor. post.  
51.60 Enter Prairie  
67.10 Left Prairie  
76.60 Intersect E. boundary 10 lbs. N. of post  
Land, swampy, Timb.: Maple,  
Oak, Ash, Elm &c.  
\* 21.60 Enter Swamp.

287

T. 26 N. R. 13 E. 2<sup>nd</sup> Sec. Ind. a

Ch. W.

West Correct line betw<sup>n</sup> Sec. 3 & 10.

38.30 Set gr. sec. post, from which  
a Ywh. Oak 8 in. dia. bears S 55° W. 10 bl. dist.  
a Do. 20 " " " N 54° E. 41 " dist.  
76.60 Sec. cor.

---

North Between sections 3 & 11.

20.31 a Ywh. Elm 20 in. diam.

36.00 Left Swamp

40.00 Set gr. sec. post, from which  
a H. Oak 16 in. dia. bears S 48° W. 14 bl. dist.  
a Hickory 11 " " " N 11° E. 10 " "

82.34 Intersect down line 421 bl. E. of  
Post & set post cor. to sec. 3 & 4 from wh.  
a Swp. ash 15 in. dia. brs. S 40° E. 18 bl. dist.  
a Beech 14 " " " S 40° W. 24 " "  
Land, S. 1/2 swamp, willows &c.  
N. 1/2 level & wet. Limb: Oak,  
Ash, Maple, Elm.

---

North Between Sec. 32 & 33.

19.28 a Ywh. Elm 18 in. diam. Var. 5° 40' E.

40.00 Set gr. sec. post, from which  
a Beech 12 in. dia. bears N 53° E. 17 bl. dist.  
a Do. 16 " " " S 72° W. 24 " "

58.25 a H. Oak 24 in. dia.

61.00 a Run 8 bl. wide crs. E.

80.00 Set post cor. to sec. 28, 29, 32 & 33,  
a Hickory 12 in. diam. bears N 13° W. 16 bl. dist.  
a H. Elm 15 " " " N 16° E. 14 bl. dist.  
Land, level 2<sup>nd</sup> rate level —  
Beech, Ash, Oak, Hickory, Elm  
Spice & P. Ash.

---

East On Meander Between sec. 28 & 33.

31.00 a Run 10 bl. wide crs. N.



288 S. 26 N. W. 13 E. 2<sup>nd</sup> Mer. Ind. a

Ch. 40.

40.00 set temporary gr. sec. cor.  
 70.00 a Run 12 ft. wide crossed 3 times N. & S.  
 79.58 Intersect E. boundary. 42 ft. E. of post.  
 Land, good 2<sup>nd</sup> rate level. Lim.  
 Sugar, Beech, Ash, Oak, Hickory  
 &c. Spice &c.

West Correct line Between Sec. 28 & 33.

39.79 Set gr. sec. post, from which  
 a Sugar 18 in. diam. bears N 8 E 48 ft.  
 a Oak 12 " " " 42 W. 13 ft. dt.  
 79.58 Sec. cor.

North Between Sec. 28 & 29.

18.75 a Br. Oak 40 in. diam.  
 40.00 Set gr. sec. post, from which  
 a Buckeye 12 in. dia. bears N 32 W. 38 ft.  
 a Blue Ash 8 " " " S 58 E. 14 "  
 52.00 a Run 3 ft. wide crs. W.  
 54.00 a Run 5 ft. wide crs. E.  
 54.91 a Hickory 16 in. diam.  
 80.00 Set post cor. sec. 20, 21, 28 & 29.  
 a Wh. Elm 8 in. diam. bears N 17 W. 12 ft.  
 a Blackberry 12 " " " S 19 E. 51 " dt.  
 Land, 2<sup>nd</sup> rate rolling. Timber,  
 Beech, Sugar, Ash, Buckeye & Spice.

East On Kandom Between Sec. 21 & 28.

7.00 To Wabash River 200 ft. wide  
 canal - & set post, from wh.  
 a Mulberry 18 in. dia. bears N 53 W. 15 ft.  
 a Wh. Elm 40 " " " S 12 E. 31 " dt.  
 9.12 Over River & set post, from wh.  
 a Br. Oak 6 in. dia. bears N 5 E. 18 ft. dt.  
 a Wh. Elm 18 in. " " N 60 E. 17 " "  
 40.00 set temporary gr. sec. post.

289

S. 26 N. W. 13 E. 2<sup>nd</sup> Sec. Ind. a

Ch. 1<sup>st</sup> Mt.

79.60 Intersect E. boundary 14 lb. S. of post  
Land, 2<sup>nd</sup> rate level Limb. Beech,  
Ash, Oak & Hickory. Var. 6<sup>th</sup> E.

Wall Correct line Between Sections 21 & 28.

39.80 Set gr. Sec. post, from which  
an Ironwood 5 in. dia. bears N 62 W. 13 lb.  
a Wh. Oak 36 in. dia. " S 62 E. 26 " dit.

79.60 Lec. loc.

North Between Sect. 20 & 21.

11.66 Go Left <sup>12<sup>th</sup></sup> " Wabash River 250 lb. wide  
course N. W. & set post, from which  
a Hickory 12 in. dia. bears S 60 W. 37 lb. dit.  
a Wh. Elm 36 " " " N 84 E. 10 " "

40.00 Over to Right Bank & set a post  
a Wh. Oak 13 in. dia. bears N 55 W. 18 lb. &  
a Do. 10 " " " S 69 E. 18 lb. dit.

38.00 a Run 8 lb. wide course S. W.

40.00 Set gr. Sec. post, from which  
a Beech 16 in. dia. bears N 79 E. 12 lb. &  
a Sugar 15 " " " N 83 W. 50 " dit.

59.34 a Wh. Oak 13 in. diam.

80.00 Set post cor. to Sect. 16, 17, 20 & 21, p. wh.

a Wh. Oak 10 in. dia. bears S 43 E. 14 lb. dit. &

a Do. 10 " " " S 80 W. 12 " "

Land, Rolling 2<sup>nd</sup> rate. Limb. Ash,  
Oak, Beech, Hickory. &c.

East An Random Betw<sup>th</sup> Sect. 16 & 21.

34.50 a Run 5 lb. wide crs. S. W.

40.00 Set gr. Sec. post, temporary.

80.00 Intersect E. boundary 16 lb. S. of post.  
Land, 2<sup>nd</sup> rate Rolling. Limb. Beech,  
Ash, Oak & Hickory.

Chas. M. J.

40.00 Set gr. Sec. post, from which  
a Hickory 12 in. dia. bears S E. 11 N. dist. 8  
a Ironwood 5" " " N 13 E. 7 " "

21.25 a Cth. Oak 14 mi. diam.

12.00 a Yellow 14 in. diam.

Call on Nandora B. Chas<sup>r</sup> Sec<sup>y</sup> 9 & 16.

West correct line between  $\frac{n}{11}$  Secs. 9 & 16.

North Between Dec. 8 & 9.

40.00 Set of sec. post. from which  
a Hickory 16 in. dia. bears N 89 E. 26 W.  
a Do. 18 " " " N 52 W. 5 " It.  
60.37 an Ash 16 in. dia.

S 26 N. W. 13 E. 2<sup>nd</sup> Mer. Ind. a

80.00 Set post cor. to sec. 4, 5, 8 & 9, fr. wh.  
an Ash 18 in. dia. bears N 35 W 35 lb. dist.  
a Wh. Oak 14 in. dia. bears N 85 E 23 " "  
Land, level 2<sup>nd</sup> rate. Timb:  
Beech, Ash, Oak, Hickory, Spice  
& Prickly Ash.

East on Randam Between sec. 4 & 9.

40.00 Set tempy. gr. Sec. post.

41.00 Enter Swamp

81.50 Intersect E. boundary 12 lb. S. of Post.  
Land, level & wet. Tim. Oak,  
Ash, Hickory & Elm.

West Correct line Betw<sup>th</sup> Sec. 4 & 9.

40.75 Set gr. Sec. post, from which  
a W. Oak 15 in. dia. bears S 6 E 31 lb. dist.  
a Maple 18 in. " " N 7 W 21 " "

81.50 Sec. cor.

North Between sections 4 & 5.

22.51 a cotton wood 20 in. diam.

40.00 Set gr. Sec. post, from which  
a Slip. Ash 18 in. diam bears N 8 W 3 lb. dist.  
a Do. 10 " " " N 8 E 16 " dist.

69.90 a Do. 14 " "

83.21 Intersect Town line 324 lb. E. of  
post & set post cor. to sec. 4 & 5.  
a Sup. Ash 14 in. dia. bears S 60 E 30 lb. dist.  
a Wh. Elm 22 " " " S 39 W 30 " "  
Land, level & wet. Tim. Oak,  
Ash, Elm, Hickory &c.

North Between sections 31 & 32.

12.00 Enter Swamp N. 5° 45' E.

13.95 an Ash 12 in. diam.



292 S. 26 N. W. 13 E. 2<sup>nd</sup> Mo. Ind.

Ch. W.

34.00 Left Swamp

40.00 Set gr. sec. post, from which  
an Ash 12 in. dia. bears N 20 W. 38 lb. dist.  
an Ash 12 " " " N 4 E. 14 lb. dist.

55.66 a B. Oak 24 in. diam.

80.00 Set post. Cor. to Sec. 29, 30, 31 & 32,  
a Beech 24 in. dia. bears N 81 E. 9 lb. dist.  
a Do. 24 " " " S 67 W. 27 " "  
Land, S. 1/2 swampy, willows &c.  
N. 1/2 good 2<sup>nd</sup> rate level. Beech,  
Ash, Oak &c with Hickory.

---

East On Random betw<sup>n</sup> Sec. 32 & 29.

40.00 Set temporary gr. sec. post.

81.00 Intersect E. boundary 34 lb. S. of post.  
Land level good farming. Ash  
Beech, Sugar Oak, Hickory & Spice.

---

West Correct line betw<sup>n</sup> Sec. 32 & 29.

40.50 Set gr. sec. post, from which  
a Beech 18 in. diam. bears S 45 E. 24 lb.  
an Ash 12 " " " N 87 W. 48 " dist.  
81.00 Sec. cor.

---

West Between Sec. 31 & 30.

20.96 a Beech 20 in. diam.

40.00 Set gr. sec. post, from which  
a Beech 8 in. dia. bears S 15 W. 8 lb. dist.  
an Ash 9 " " " North 46 " "

60.48 an Ash 12 " "

77.56 Intersect W. Boundary. 14 lb. E. of post.  
Set post Cor. to Sec. 31 & 30, from wh.  
an Ash 20 in. dia. bears N 59 W. 10 lb.  
a Wh. Oak 30 " " " S 59 W. 25 " dist.  
Land, level 2<sup>nd</sup> rate. Timber  
Beech, Ash, Oak, Hickory & Spice

S. 26 N. W. 13 E. 2<sup>nd</sup> " Me. Ind. a

Ch. No.

North Between Sec. 29 & 30. Var. 5° 30' E.

17.13 a Beech 14 in. dia.

40.00 Set gr. Sec. post, from which  
a B. Oak 8 in. diam. bears S 20° W. 14 ft. &  
an Ash 10 in. diam. bears N 19° E. 52 ft.

60.00 an Ash 16 " "

80.00 Set post cor. to Sec. 19, 29, 20 & 30.  
a Beech 16 in. dia. (bears N 16° E. 17 ft. dist.)  
a Do. 16 " " " S 63° W. 17 " "  
Land, level good 2<sup>nd</sup> rate. Timber:  
Beech, Ash, Oak, Hickory, Birs &  
Spice.

East Cor. Random Betw<sup>n</sup> Sec. 20 & 29.

40.00 Set temporary gr. Sec. post.

80.44 Intersect E. boundary 13 ft. N. of post.  
Land, level 2<sup>nd</sup> rate. Beech-  
Sugar, Ash & Spice.

West corner line Between Sec. 20 & 29.

40.22 Set gr. Sec. post, from which  
an Ash 12 in. dia. bears East, 27 ft. dist.  
a Hickory 15 " " " S 88° W. 99 " "

80.44 See. loc.

West Between Sections 19 & 30.

22.54 a Beech 12 in. diam.

40.00 Set gr. Sec. post, from which  
a Beech 12 in. dia. bears N 10° W. 28 ft. dist.  
a Do. 15 " " " S 54° E. 25 " "

58.14 a Sw. Ash 16 in. diam.

78.75 Intersect Range line 94 ft. S. of  
Post & set post cor. to Sec. 19 & 30.  
a N. Elm 6 in. dia. bears N 81° W. 16 ft. &  
a Beech 10 " " " S 81° E. 25 " dist.  
Land, 2<sup>nd</sup> rate level with

S. 26 N. 13 E. 2<sup>nd</sup> Mer. and a  
ch. sp.

wet places. Timber: Beech, Ash,  
Oak, Elm, Spruce & P. Ash.

North Between Sections 19 & 20.

23.00 a Beech 20 in. diam.

40.00 Set gr. sec. post, from which  
a Hickory 12 in. dia. bears N 63° W, 17 ft. &  
a B. Oak 9 " " " S 63° E, 56 " dist.

57.35 a Burr Oak 30 in. diam.

80.00 Set post cor. to Secs. 17, 18, 19 & 20 from wh.  
a Beech 8 in. dia. bears N 42° E, 13 ft. dist.  
a Sugar 12 " " " S 53° W, 28 " "  
Land 2<sup>nd</sup> rate level generally in  
Beech, Ash, Oak, Elm. &c.

East Between Sections 17 & 20. Random.

20.00 To Waibash 200 ft. wide e. N. W. &  
set post, from which  
a Buckeye 12 in. dia. bears S 10° E, 48 ft.  
a Hackberry 5 " " " S 67° W 61 " dist.

24.00 Over River to Right Bk. from wh.  
a Wh. Elm 18 in. diam. bears S 54° E, 41 ft.  
an Ash 12 " " " " N 47° W, 150 "

40.00 set temporary gr. sec. cor. post.

79.60 Intersect E. Boundary 49 ft. S. of post  
Land, E. 1/2 2<sup>nd</sup> rate rolling. Oak, -  
Hickory Ash &c. W. 1/2 1<sup>st</sup> rate -  
Beech, Sugar, Ash &c.

West correct line Between Secs. 17 & 20.

39.80 set gr. sec. post, from which  
an Ash 10 in. dia. bears N 58° W, 16 ft. dist.  
a H. Oak 10 in. " " " S 36° E, 3 " "

79.60 Sec. cor.

West Between Secs. 18 & 19.

295

S. 26. N. 13 E. 2<sup>nd</sup> " Men. Ind. a  
Ch. Lk.

10.00 a Run 6 lb. wide c. N.  
24.00 a Wh. Oak 24 in. diam.  
40.00 set gr. sec. post, from which  
a Beech 14 in. dia. bears S 86 W. 16 lb. dist.  
a Hickory 16 " " " N 88 E. 35 " "  
59.33 a Do. 7 1/2 " "  
79.00 Intersect Range line 50 lb. S. of a  
post & set post, from which  
an Ironwood 5 in. dia. bears N 54 W. 8 lb.  
a Hickory 12 " " " S 88 E. 42 lb. dist.  
Land, level 2<sup>nd</sup> rate. Bushy  
Oak, Ash, Elm, Beech, Spruce.

North Between sections 17 & 18.

7.50 a Run 6 lb. wide c. E.  
33.36 S. Wabash River 200 lb. wide c  
course W. & set post, from wh.  
a Hackberry 18 in. dia. bears S 63 W. 37 lb.  
a Buckeye 12 " " " N 14 E. 37 " dist.  
35.16 Over to Right Bank & set post,  
a B.C. Oak 30 in. dia. bears N 62 W. 18 lb. &  
a Hickory 14 " " " S 62 E. 20 " dist.  
40.00 Set post gr. sec. post, from wh.  
a Wh. Oak 20 in. diam. bears N 84 W. 19 lb.  
a Water Beech 5 in. diam. (bears East, 3 "  
80.00 Set post Cor. to sec. 7, 8, 17 & 18,  
a Wh. Oak 10 in. dia. bears N 50 W. 35 lb.  
a Do. 18 " " " S 34 E. 43 lb. dist.  
Land, S. of River 1<sup>st</sup> rate.  
Level Bottom. N. of River 2<sup>nd</sup>  
rate rolling Oak & Hickory.

East An Random Between sec. 8 & 17.

11.50 a Run 8 lb. wide c. S. W.  
40.00 Set temp. gr. post.  
80.00 Intersect E. boundary 17 lb. S. of post



296 T. 26 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

ch. W. Land 2<sup>nd</sup> rate rolling Timber Beech  
ash oak &c  
West Corner line between Secs. 8 & 14.  
40.00 Set gr. Sec. post from which  
a W. Oak 48 in. dia. bears S 61 E. 28<sup>th</sup> dist.  
a Hickory 14 " " " N 87 W 11 " "  
80.00 Section Corner.

West Between Secs. 7 & 18.  
11.50 a Run 6<sup>th</sup> wide cr. S.  
13.50 a Hickory 24 in. dia.  
40.00 Set gr. Sec. post from which  
a Hickory 8 in. dia. bears S 88 W 27<sup>th</sup> dist.  
a Do 10 " " " S 88 E 29 "  
56.40 Wabash River 200<sup>th</sup> wide cr. N. W.  
a Run Oak 20 in. dia. for post, from wh.  
a Do 24 " " bears N 23 E. 18<sup>th</sup> dist.  
60.60 Op. Side Set post from which  
a Buckeye 15 in. dia bears S 36 W 53<sup>th</sup> dist.  
a W. Elm 50 " " " S 8 E 72 "  
64.44 a Hackberry 18 in. dia.  
66.50 Wabash River 200<sup>th</sup> wide cr. S. W.  
a Hackberry 30 in. dia bears S 88 E. 120<sup>th</sup> dist.  
a Sycamore 30 " " " S 67 W 218 "  
Good farming land

North Between Secs. 7 & 8  
25.69 a Hickory 12 in. dia  
40.00 Set gr. Sec. post from which  
a W. Oak 18 in. dia. bears N 32 E. 30<sup>th</sup> dist.  
a Do 24 " " " S 45 W 21 "  
37.78 a Hickory 18 in. dia.  
80.00 Set post Cor. Secs. 15, 6, 7 & 8 from which  
a Hickory 24 in. dia. bears N 46 W. 24<sup>th</sup> dist.  
a Do 10 " " " S. 24 E. 33 "  
Land 3<sup>rd</sup> rate rolling Timber Hickory

ch. 1/2 ash Saw P. Ash &c.

West Between Secs. 18 & 19,

74.00 W Side Mahash River Set post  
a Mulberry 16 in. dia. bears N 29 E. 15 ths  
a Sycamore 30 " " " S 69 W 34 "

79.50 Intersected Range line 63 ths S. of post  
a Bur Oak 24 in. dia. bears N 6 W. 11 ths  
a Hackberry 10 " " " S 40 W. 22 "  
Timber Beech Sugar, Ash

East Random between Secs. 5 & 8,

40.00 Set Temp gr. Sec. post

78.50 Intersected N 6 S line at post  
Land 2<sup>nd</sup> rate scrub Tim. Beech  
ash Oak Hickory Spice & P. ash

West correct line Between Secs. 5 & 8

39.25 Set gr. Sec. post from which  
an Elm 18 in. dia. bears S 8 E. 20 ths  
a Do 18 " " " N 35 W. 27 "

78.50 Section Corner.

West Between Secs. 6 & 7,

20.80 An Oak 10 in. dia.

40.00 Set gr. Sec. post from which  
an ash 5 in. dia. bears S 52 E. 9 ths  
a Sugar 14 " " " N 52 W. 50 "

60.90 a Hickory 14 in. dia.

78.34 Intersected W. Boundary 85 ths S. of  
post on R. line Set post from which  
a W. Oak 10 in. dia. bears S 48 E. 4 ths  
a Do 6 " " " N 48 W. 4 "  
Land 2<sup>nd</sup> rate scrub Timber Beech,  
ash Oak Hickory Spice & P. ash

298

T. 26 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

Ch. M?

North Between Secs. 5 &amp; 6.

21.14 an R. Elm 9 in. dia.

25.00 Enter Swamp

36.50 Left Swamp

40.00 Set gr. Sec. post from which  
a W. Oak 18 in. dia bears N 47 E. 40 ft  
a Do 18 " " " S 47 W. 24 ft

61.40 a W. Elm 15 in. dia.

81.50 Intersected Town Line 5.00 the E of  
post set post from which  
a Sugar 8 in. dia. bears N 54 W. 33 ft  
an Oak 8 " " " S 81 E. 13 ft  
Land 2<sup>nd</sup> rate level with <sup>pond</sup> Beech Oak  
Oak Hickory Poplar &cCourses. Meanders. of Mabash River  
Beginning on S. Side at Cor. Sec. 18.  
Thence up the River.

N 65 E 5.00 In sec. 18.

N 75 E 8.50 At 6.65 Cor. Secs. 7 &amp; 18

S 82 E 3.67 To post Cor. to Secs. 7 &amp; 18. in sec. 7.

S 57 E 8.50 In sec. 18.

S 38 E 5.50

S 28 E 6.00

S 19 E 5.50

S 12 E 4.00

S 23 E 5.00

S 33 E 8.50

S 28 E 5.00

S 38 E 12.50

A Run 5 ft wide at 12.00

S 58 E 4.50

S 75 E 3.00

S 84 E 9.50

S 78 E 3.50

S. 26 N. 16.13 E. 2<sup>nd</sup> Mer. Indiana. 299

Courses.	Ch. Hk.	
N 47 E	3.00	
N 40 E	6.00	
N 88 E	4.00	To post Con. to Secs. 17 & 18
<del>S 41 E</del>	<del>2.50</del>	
S 41 E	3.50	In sec. 17.
S 23 E	9.50	
S 3 W	3.60	
S 24 W	7.00	
S 38 W	3.00	
S 18 E	3.00	
S 15 E	2.00	
S 59 E	3.00	
S 71 E	3.00	
S 86 E	4.50	
S 72 E	6.75	To post Con. to Secs. 17 & 20
S 52 E	3.00	In Sec. 20.
S 37 E	8.00	
S 18 E	10.50	
S 12 E	5.00	
S 35 E	8.50	
S 69 E	6.50	
S 89 E	7.50	
S 51 E	9.00	
S 75 E	8.00	
S 6 E	4.50	
S 72 W	6.00	
S 53 W	5.00	
S 17 W	6.50	
S 14 E	5.50	A Run 5 Mts wide at 3.50
S 34 E	9.00	
S 69 E	6.00	A Run 6 Mts wide at 4.50
N 84 E	3.50	
N 61 E	7.00	
East	11.00	
S 36 E	15.00	At 2.50 Con. to Secs. 20 & 21



300 T. 26 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

Coured.	Ch. \$ <sup>ts</sup>	In sec. 21.
S 8 E.	11.50	At 8'2. Cor. to Sec. 21 & 28.
S 34 E	9.00	In sec. 28.
S 55 E	8.50	
S 34 E	11.00	a Run 8 <sup>th</sup> wide at 11.00
S 79 E	7.00	
S 34 E	5.00	
S 22 E	5.00	
S 34 E	5.50	
S 40 E	8.50	
S 58 E	6.00	At 5. lower End of Isl.
S 41 E	3.50	
N 61 E	2.50	
N 41 E	4.00	At 1.00 End of Island
S 46 E	9.00	
S 21 E	5.50	at 5. a run 10 <sup>th</sup> wide
S 60 E	7.00	
N 27 E	8.00	At 4.20 Cor. to Sec. 27 & 28
S 47 E	3.00	In sec. 27.
S 9 W	7.00	
S 45 W	5.50	
S 37 E	3.00	
S 60 E	4.00	at 1.86 Cor.
N 80 E	7.00	at 4.73 Cor
S 68 E	8.50	at 1.20 Cor. to Sec. 27 & 34
S 37 E	6.50	In sec. 34.
S 30 E	4.50	
S 27 E	15.00	
S 40 E	4.00	
S 5 E	7.00	
S 42 E	4.00	
S 62 E	10.00	
S 30 E	5.50	

T. 26 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana. 31

Courses.	Chs. & Fts.	
S 26 E	9.50	
S 47 E	18.50	
S 40 E	4.00	
S 4 E	6.00	Cor to T's 25 & 26
Meanders of the North Side of Mabash River Beginning at post Cor. of Secs. 18. Thence up the River.		
N 66 E	8.50	At 8.50 Cor of Secs. 7 & 18
S 86 E	3.50	at 150 a Run 5 the side
N 82 E	5.00	
S 60 E	11.00	at 540 Cor. to Sec. 7 & 18
S 40 E	7.50	
S 24 E	34.00	
S 40 E	14.00	
S 79 E	4.50	
S 87 E	10.50	
N 48 E	10.00	at 9.00 a Run 10 the side
East	5.50	at 4.25 Cor. to Sec. 17 & 18
S 55 E	3.50	
S 30 E	7.50	
S 16 E	6.00	
S 12 W	4.50	
S 31 W	8.00	
S 18 E	2.50	at .50 a Run 5 the side
S 49 E	3.00	
S 70 E	4.50	
S 75 E	5.00	
S 65 E	8.00	at 7. Cor to Sec. 17 & 20
S 42 E	8.00	
S 22 E	5.50	
S 10 E	12.50	
S 37 E	5.00	

302 S. 26 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

Courses. ch. Pk.

S 69 E 7.00

S 89 E 9.50

S 52 E 10.00

S 71 E 7.50

S 25 E 6.75

S 46 W 5.00

S 81 W 6.00

S 34 W 4.50

S 5 W 5.50

S 22 E 5.50

S 41 E 8.50

N 61 E 8.50

N 79 E 4.50

S 67 E 4.50

at 4.50 a Run 5<sup>th</sup> wide

at 50 a Run 5<sup>th</sup> wide

at 4.25 Cor. to Sec. 20 & 21

S 38 E 14.00

S 7 E 12.00

{ at 3.35 Cor. Sec. 21 & 20 & at  
11.50 a Run 5<sup>th</sup> wide

S 33 E 5.00

S 46 E 12.00

S 33 E 10.00

S 45 E 8.00

S 45 E 3.50

S 25 E 10.50

S 39 E 13.75

N 79 E 7.00

S 52 E 20.50

S 15 E 2.50

S 62 E 3.50

N 35 E 2.50

N 18 E 3.50

N 65 E 5.50

at 50 Cor. to Sec 29 & 34

S 32 E 5.00

S 6 W 7.50

S 38 W 5.00

303

T. 26 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

Courses Ch. Ets.

S 77 E 4.00

N 78 E 5.00

S 67 E 12.00

at 7135. Cor. to Secs. 27 & 34

S 32 E 9.50

In sec. 34.

S 40 E 3.50

S 33 E 7.00

S 45 E 4.50

South 8.00

S 53 E 7.00

S 34 E 5.50

S 35 E 8.50

S 17 E 7.50

S 46 E 7.50

S 53 E 6.00

S 35 E 4.50

S 14 E 8.50

at 8. Cor. to Towns. 25 & 26  
North Range 13. East

Surveyed in June 1822.

By James J. Worthington.  
D.S.

Certify that the foregoing transcripts of  
the field notes of Township 26 North Range  
13 East 2<sup>nd</sup> Mer. in Indiana, has been  
compared with the original in this office  
and found to be correct.

Surveyor General's Office.  
Cincinnati, March 1<sup>st</sup> 1845.

William Huston  
Sur. Genl.